




PANEL "H"			Notes: See Schedule (E2) of this set of drawings	
Panel No.	Area (sq. ft.)	Volume (cu. ft.)	Material	Quantity
1	1200	1200	Lighting	
2	1200	1200	Lighting	
3	1200	1200	Lighting	
4	1200	1200	Lighting	
5	1200	1200	Lighting	
6	1200	1200	Lighting	
7	1200	1200	Lighting	
8	1200	1200	Lighting	
9	1200	1200	Lighting	
10	1200	1200	Lighting	
11	1200	1200	Lighting	
12	1200	1200	Lighting	
13	1200	1200	Lighting	
14	1200	1200	Lighting	
15	1200	1200	Lighting	
16	1200	1200	Lighting	
17	1200	1200	Lighting	
18	1200	1200	Lighting	
19	1200	1200	Lighting	
20	1200	1200	Lighting	
21	1200	1200	Lighting	
22	1200	1200	Lighting	
23	1200	1200	Lighting	
24	1200	1200	Lighting	
25	1200	1200	Lighting	
26	1200	1200	Lighting	
27	1200	1200	Lighting	
28	1200	1200	Lighting	
29	1200	1200	Lighting	
30	1200	1200	Lighting	
31	1200	1200	Lighting	
32	1200	1200	Lighting	
33	1200	1200	Lighting	
34	1200	1200	Lighting	
35	1200	1200	Lighting	
36	1200	1200	Lighting	
37	1200	1200	Lighting	
38	1200	1200	Lighting	
39	1200	1200	Lighting	
40	1200	1200	Lighting	
41	1200	1200	Lighting	
42	1200	1200	Lighting	
43	1200	1200	Lighting	
44	1200	1200	Lighting	
45	1200	1200	Lighting	
46	1200	1200	Lighting	
47	1200	1200	Lighting	
48	1200	1200	Lighting	
49	1200	1200	Lighting	
50	1200	1200	Lighting	
51	1200	1200	Lighting	
52	1200	1200	Lighting	
53	1200	1200	Lighting	
54	1200	1200	Lighting	
55	1200	1200	Lighting	
56	1200	1200	Lighting	
57	1200	1200	Lighting	
58	1200	1200	Lighting	
59	1200	1200	Lighting	
60	1200	1200	Lighting	
61	1200	1200	Lighting	
62	1200	1200	Lighting	
63	1200	1200	Lighting	
64	1200	1200	Lighting	
65	1200	1200	Lighting	
66	1200	1200	Lighting	
67	1200	1200	Lighting	
68	1200	1200	Lighting	
69	1200	1200	Lighting	
70	1200	1200	Lighting	
71	1200	1200	Lighting	
72	1200	1200	Lighting	
73	1200	1200	Lighting	
74	1200	1200	Lighting	
75	1200	1200	Lighting	
76	1200	1200	Lighting	
77	1200	1200	Lighting	
78	1200	1200	Lighting	
79	1200	1200	Lighting	
80	1200	1200	Lighting	
81	1200	1200	Lighting	
82	1200	1200	Lighting	
83	1200	1200	Lighting	
84	1200	1200	Lighting	
85	1200	1200	Lighting	
86	1200	1200	Lighting	
87	1200	1200	Lighting	
88	1200	1200	Lighting	
89	1200	1200	Lighting	
90	1200	1200	Lighting	
91	1200	1200	Lighting	
92	1200	1200	Lighting	
93	1200	1200	Lighting	
94	1200	1200	Lighting	
95	1200	1200	Lighting	
96	1200	1200	Lighting	
97	1200	1200	Lighting	
98	1200	1200	Lighting	
99	1200	1200	Lighting	
100	1200	1200	Lighting	
TOTALS	20,600	19,250	FEEL:	

* INSTALL BOARDING TRANSFORMERS (5 kVA each) FOR 30 # 1/2" AC UNITS - 250 TO 2500, MOUNT ON AC UNITS IN V.P. CHAMBERS.



SIGNAL TERMINAL CABINET DETAIL



CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS PROCEEDING WITH THE WORK REPORT ANY DISCREPANCIES TO THE ARCHITECT

DATE: 12-22-19

PROJECT: FRANCIS PERRY & ASSOCIATES, CONSULTING ELECTRICAL ENGINEERS, 3800 CHESTNUT AVE, BAKERSFIELD, CALIF. 93311

CLIENT: FRANCIS PERRY & ASSOCIATES, 3800 CHESTNUT AVE, BAKERSFIELD, CALIF. 93311

ARCHITECT: EDDY & PAYNTER ASSOCIATES ARCHITECTS, 3801 H ST., BAKERSFIELD, CALIF. 93311

DATE: 12-22-19

PROJECT: LINCOLN JUNIOR HIGH SCHOOL ADDITION, BAKERSFIELD, CALIF. COUNTY OF CALIFORNIA

SHEET: E2