los Bor's

15

A1.03

TYPICAL FENCE & GATE KEYNOTES

1) 4" O.D. GALVANIZED STEEL GATE POST (9.1 lb/ft)

2 2 7/8" O.D. GALVANIZED STEEL END OR CORNER POST (5.79 lb/ft)

(3) 2" O.D. GALVANIZED STEEL GATE FRAME (2.72 lb/ft) 4 1 5/8" O.D. GALVANIZED STEEL HORIZONTAL RAIL (2.27 lb/ft)

5 2"x2" MESH x 9 GAUGE GALVANIZED FENCE FABRIC WITH KNUCKLED TOP AND BOTTOM SELVAGE. FENCE

FABRIC TO BE GALVANIZED BEFORE WEAVING (GBW) (6) 1/4"x3/4" GALVANIZED STEEL STRETCHER BAR

7 GALVANIZED STEEL STRETCHER BAR TENSION BAND, MIN. OF 6 TENSION BANDS

8 9 GAUGE (0.148" DIA.) GALVANIZED STEEL TIE WIRES OR HOG RINGS AT 15" MAX. SPACING. MIN. 8 TIE WIRES PER EACH 10" HORIZONTAL RAIL

GALVANIZED ADJUSTABLE TURNBUCKLE FOR 3/8" DIA. TRUSS ROD

- 3'-0" WIDE W SELF CLOSER TYP. # HC. STALLS

Keplace

6/8-A1.03

SCALE : 1/4" = 1-0"

10 3/8" DIA. GALVANIZED STEEL ADJUSTABLE TRUSS ROD. TRUSS RODS REQUIRED FOR ALL GATE POST PANELS AND END OR CORNER POST PANELS

(11) 3/8"x6" GALVANIZED HOOK BOLT WITH NUT IMBEDDED IN MIDWAY BETWEEN POSTS

7 GAUGE (0.177" DIA.) GALVANIZED STEEL TENSION

(13) RAINPROOF CAP

(14) LOCKING HASP

(15) 180° GATE HINGE, TYP

(16) 12" OCONCRETE POST FOOTING (TYP.) (17) TRIM, LEVER HANDLE & RIM CYLINDER LOCK PER

DISTRICT STANDARD 34" - 44"

(18) 16ga GATE GUARD

IN MENS 101 AND WOMENS 102

**TOILET PARTITIONS AND ROTATE** 


REMOVE FRONT OF EXISTING

DOOR SWING AS INDICATED.

4" MAK SHIP

(19) 10" HIGH x GATE WIDTH, 16 ga POWDER-COATED METAL KICK PLATE, TYP BOTH SIDES OF GATE.

SCALE: N.T.S.



A1.03 SCALE: 1/2" = 1'-0"ADA000-01

15" LONG HEAVY WALL-142" STD. STAINLESS GALVANIZ INNER PIPE RAIL BASE FLANGE LANGE COVER 4 3/4" DIA. x 3/16" GA STEEL BASE FLANGE -4- 3/8" DIA. HILTI KB-TZ, COUNTER SUNK. FINISH GRADE -ER ICC-ES ESR-1917 **GROUND ATTACHMENT** STANDARD HEIGHT FOUNTAIN-SPOUT SETBACK 5" MAX. FROM FRONT PANEL ACCESSIBLE FOUNTAIN -30"x48" MIN. CLEAR FLOOR SPACE 1 1/2" STD.-STAINLESS STEEL PIPE RAILING 36" MIN. WIDTH AT ALCOVE GREATER THAN 24" IN DEPTH ENSURE FLANGE COVER IS LOCATED OUTSIDE GREATER THAN 1/4" HIGH (1/2" AT BEVELED EDGE)

NOTES:

TACTILE AND BRAILLE

(COUNTERSUNK) AND ADHESIVE.


A1.03

ADA100-01

DOOR SIGNS TO BE CONSTRUCTED FROM 1/4" THICK PLASTIC OR HEAT STAMPED FIGURES. COLORS TO BE SELECTED BY ARCHITECT.

ATTACH SIGNS USING FOUR (4) FLATHEAD, STAINLESS STEEL, TAMPER PROOF SCREWS. (COUNTERSUNK,) AND ADHESIVE.

70% CONTRAST BETWEEN CHARACTERS AND BACKGROUND






3. 70% CONTRAST BETWEEN CHARACTERS AND BACKGROUND PER CBC 11B-703.5.1.

4. ISA SYMBOL CAN ALSO BE PLACED ON DOOR. THE LOCATION IS NOT REGULATED. SIGN TO BE MOUNTED ON THE -TACTILE AND BRAILLE ROOM WALL AT THE LATCH SIDE OF ID SIGNAGE PER CBC THE DOOR, TYP. ---11B-703.2 (BUILDING NAME) ⊌9" MIN. ALL UPPER CASE TEXT 5/8" ---OPTIONAL LOCATION TO 2" IN HEIGHT AND BUILDING CONTRACTED GRADE #2 BRAILLE CELLS -48" MIN. A.F.F., MEASURED %" MIN. - ½" MAX. FROM THE BASELINE OF THE LOWEST BRAILLE CELLS 60" MAX. A.F.F., MEASURED FROM THE BASELINE OF THE HIGHEST LINE OF RAISED CHARACTERS 6" x 6" INTERNATIONAL -

\* RECOMMENDED WHEN TWO SYMBOL OF ACCESSIBILITY SIGNS ARE REQUIRED @ SAME AT BUILDING ENTRANCE PER LOCATION CBC 11B-216.6 **BUILDING ENTRANCE/I.S.A. SIGNAGE** 



ENTARY E PORTABLE Ш FREMON1
PARKING LOT
BAKERSFIELD Agency Approval Stamp: FILE #: 15-6 IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT OFFICE OF REGULATION SERVICES 03-118270 ACMF FLS SS CC DATE NOV - 8 2017 TRACKING #: 63221-290 5269 Sheet No.: A1.03

Ownership of Documents

This document, the ideas and designs incorporated herein, as an instrument of Professional Service is the property of

Integrated Designs by SOMAM Inc.

and is not to be used, in whole or in part fo any other project without written authorization

© COPYRIGHT 2017

≩َوۡمَ

G:\2017frs\17-5269 Fremont Elementary Office and Parking Lot\Sheets\A1.03 DETAILS.dwg RICHARD DELLANINI

SCALE: NO SCALE

SCALE: 1/4" = 1'-0"

OF REQUIRED CLEAR FLOOR SPACE OR NO

**DRINKING FOUNTAIN** 

A1.03 ADA000-02

SCALE: 1' = 1' - 0''

**A1.03** ADX100-01