


ROOF PLAN

KITCHEN ADDITION

SCALE: 1/8" = 1'-0"





SCALE: 1/8" = 1'-0"

KEY NOTES Ownership of Documents This document, the ideas and designs incorporated herein, as an instrument of EXISTING ROOFING TO REMAIN Professional Service is the property of Integrated Designs by SOMAM Inc. and is not to be used, in whole or in part for DASHED LINE INDICATES EXISTING BUILDING any other project without written authorization EXTERIOR WALL OUTLINE (SHOWN FOR CLARITY). © COPYRIGHT 2012 NEW GYP. BOARD CEILING - SEE FINISH SCHEDULE & SPECS. FOR ADDITIONAL INFORMATION OPEN TO STRUCTURE ABOVE NEW EXHAUST FAN ON ROOF. SEE MECH. DWGS. NEW SHEET METAL GUTTER. NEW SHEET METAL DOWN SPOUT. 8. NEW MECH. UNIT - SEE MECH. DWGS. 9. NEW FLY FAN - SEE MECH. DWGS. 10. NEW LIGHT FIXTURE - SEE ELECT. DWGS. 11. NEW ROOF CURB. 12. NEW CLASS "A" COMPOSITE SHINGLE ROOFING. 13. PATCH & REPAIR CEILING PRIME & PAINT. 14. NO WORK IN THIS ROOM U.O.N. 15. NEW 22"x30" CEILING ACCESS DOOR PER DETAIL 16. CEMENT PLASTER EAVE - SEE DETAILS 11/A7.01 AND SCHOOL **GENERAL NOTES** A. VERIFY ALL DIMENSIONS AND QUANTITIES IN FIELD. B. IF EXISTING MATERIALS OR ASSEMBLES ARE DISTURBED BY THE WORK UNDER THIS CONTRACT, THEY SHALL BE REPLACED IN KIND AND FINISH TO MATCH ADJACENT SURFACE. ALL CONDUITS SHALL BE SUPPORTED ON NEW REDWOOD SLEEPERS IN ACCORDANCE CONDUIT SUPPORT DETAILS D. ROOFING COLOR TO BE SELECTED BY THE ARCHITECT EXTEND GYPSUM BOARD TO 6" ABOVE CEILING EXCEPT AT 1 HR. RATED PARTITIONS (U.O.N.) INSTALL A 24"x36" CEILING ACCESS PANEL IN EACH ROOM ENCLOSED WITH 1 HR. RATED PARTITIONS WITH GYPSUM BOARD OR PLASTER CEILINGS. 1 HR. RATED ENCLOSURE WALLS SHALL EXTEND TO BOTTOM OF ROOF STRUCTURE OR RATED CEILING. ALL JOINTS AND PENETRATIONS THROUGH RATED WALLS AND CEILINGS SHALL BE SEALED WITH FIREPROOFING, FIRE SAFING, OR FIRE SEALANT AS SPECIFIED. SEE SHEETS REFERENCE CORRECT Agency Approval Stamp: IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT OFFICE OF REGULATION SERVICES









SYSTEM - SEE SPECS



(N) SURFACE MOUNTED 1x4 LIGHT FIXTURE - SEE ELECTRICAL



(N) WALL MOUNTED LIGHT FIXTURE SEE ELECTRICAL

(N) EMERGENCY EXIT LIGHT FIXTURE - SEE ELECTRICAL



TRACKING #: 63321-118

Stamp(s):

3990

A4.01