



- KEYNOTES**
- STEEL FLOOR CHANNEL
 - STEEL TUBE COLUMN - SEE SHEET S-5
 - STEEL FLOOR JOIST
 - FLOOR SHEATHING
 - 2x4 FULL HT STUDS
 - 2x4 TOP & BOTTOM PLATE
 - ALUM FLASHING
 - HEADER - (2) 2x4 H.F. STD GRADE FLAT
 - TYPICAL INTERIOR FINISH - SEE SHEET G-1 FOR MATERIALS
 - EXTERIOR PLYWOOD SIDING/SHEATHING - NAIL W/ CORROSION RESISTANT (1.31 X 3 1/4" NAILS) 8d BOX NAILS AT 6" O.C. BOUNDARY & EDGES, AND 12" O.C. FIELD WITH MOISTURE BARRIER. SEE SHEET G-1 FOR MATERIALS.
 - SEALANT
 - "HILTI" DN57-PB @ 24" O.C. (OR RAMSET 1514 S0) OR .171" PIN AT 24" O.C.
 - 2x4 TRIMMER
 - HOLLOW METAL DOOR FRAME
 - METAL DOOR
 - WATERPROOF MEMBRANE
 - 16d NAIL OR .144 PIN AT 16" O.C.
 - DOOR BOTTOM W/ WEATHER STRIP
 - ALUM THRESHOLD
 - WALL MTD. A/C
 - 4x4 H.F. #2 POST (OR BETTER)
 - 2X6 BLOCK BETWEEN STUDS. ATTACH TO STUDS W/ (2) 16d BOX NAILS EA. END
 - 11 GA x 24" LONG STEEL BOTTOM BRACKET
 - 3/8" DIA x 2-1/2" LAG BOLTS
 - 3/4" SPACER-PLYWOOD
 - 1x4 TRIM (OPTIONAL)
 - VINYL WRAPPED CLOSE-OFF BATT. ATTACH W/ #8x2 1/4" PAN HEAD WOOD SCREWS STAGGERED 24" O.C. AND (2) SCREWS TOP AND BOTTOM
 - 3 1/4"x1"x4"-6" E x 10 GA. CHANNEL TOP & BOTTOM.
 - ROOF JOIST, SEE SHEET S-40

THIS DRAWING AND THE MATERIAL CONTAINED HEREIN ARE THE PROPERTY OF M.S.I. INC. AND SHALL BE KEPT IN CONFIDENCE. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS TO BE REPRODUCED, COPIED OR OTHERWISE DISSEMINATED IN WHOLE OR IN PART TO ASSIST IN THE MAKING OF ANY OTHER DRAWING OR SPECIFICATION WITHOUT THE WRITTEN PERMISSION OF M.S.I. INC. ANY UNAUTHORIZED REPRODUCTION OR DISSEMINATION OF THIS DRAWING OR SPECIFICATION IS STRICTLY PROHIBITED. M.S.I. INC. SHALL BE THE PROPERTY OF M.S.I. INC.

ARCHITECT APPROVAL

STRUCTURAL ENGINEERS STAMP

STATE AGENCY APPROVAL

PROJECT

TITLE

JOB # 96-1310
DATE 12/9/96
DRAWN BY B.N.
SCALE NONE
APPROVED

REVISIONS

Δ	2/4/97
Δ	4/15/97 MDT
Δ	4/25/97 MSI REV.

STATE AGENCY APPROVAL

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 APP03 117549
 AC FLS - SS TN
 Date OCT 11 2016

MSI
MODULAR STRUCTURES INTERNATIONAL, INC.
 17185 VON KARMAN SUITE # 108
 IRVINE, CA 92714
 PHONE: (949) 760-3333 FAX: (949) 760-1883

REGENCY ENGINEERING & CONSULTING GROUP
 17185 VON KARMAN SUITE # 108
 IRVINE, CA 92714
 PHONE: (949) 760-3333 FAX: (949) 760-1883
 A SUBSIDIARY OF REGENCY COMPANY, INC.

24'X40', 36'X40', & 48'X40' MODULAR CLASSROOM BUILDING
GENERAL INTERIOR AND EXTERIOR WALL CONSTRUCTION DETAILS

PC-323
S-30