CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. REPORT ANY DISCREPANCIES TO ARCHITECT.

COUNTY OF KERN
OFFICE OF SUPERINTENDENT OF SCHOOLS
JESSE D. STOCKTON — SUPERINTENDENT

APPROVED
DATE

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

APPROVED
APPLICATION NO. M.S. 10-135

STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS
APPROVED
DIVISION OF ARCHITECTURE
8613
Registered Structural Engineer

BAKERSFIELD CITY SCHOOLS
1500 K ST. BAKERSFIELD CALIFORNIA
BOARD OF EDUCATION

APPROVED
DATE 3-1-51

HILLMAN & NOWELL
STRUCTURAL ENGINEERS
ARCHITECTS BUILDING, LOS ANGELES 17

SCALE 3/4"=1'-0" ALL SECTIONS

FOUNDATION SECTIONS (All Units)

DRAWN BY MP

JUNIOR HIGH SCHOOL
BAKERSFIELD CITY SCHOOL DISTRICT
BELLE TERRACE & "P" STREETS
BAKERSFIELD CALIFORNIA

JOB NO. C333

ERNEST L. McCOY A.I.A. ARCHITECT
129 HAY BLDG. 1612 - 19th ST.
BAKERSFIELD — CALIFORNIA

DATE 3/1/51

OF SHTS.

S6

NOTE
For detail of window mullions @ bottom refer to A1 sill














2x6 @ 16"
3x6 Sill ℄ on 2" grout & 5/8 x 12" Bolts @ 48"
Diag. sheath.
2x6 studs @ 16"
5/8x12" Bolts @ 48" @ E/sc only
3x6 sill ℄ on 2" grout
Thp. dowels #4" each side
Thp. dowels #4"
1'-11½"
6"
12"
2" Min.
2 @ 13" oc. ea. way
For other dim. refer to Arch. det.
Cont. @ flr. & bot.
6" Gravel fill
7"
Thp. dowels #4"
Diag. sheath.
2x6 studs @ 16"
3x6 sill ℄ on 2" grout & 12" Bolts @ 48"
Thp. dowels #4"
6"
12"
Cont. @ flr. & bot.
6" Gravel fill
7"
Thp. dowels #4"
Diag. sheath. @ C2/sc only
2x6 studs @ 16"
3x6 sill ℄ on 2" grout
5/8x12" Bolts @ 48" @ C2 sc only
Thp. dowels #4" each side
Cont. @ flr. & bot. @ C/sc, C2/sc
6" Gravel fill
7"
Thp. dowels #4"
Cont. @ flr. & bot. @ B/sc
" " " @ B1/sc
see Plan Thp.
Thp. reinf. 2 @ 24" each way air. bends
6" Gravel fill
7"
Thp. dowels #4" each side
Thp. (Thp.)
2 cont. (Thp.)
3x6 sill ℄ on 2" grout & 12" Bolts @ 48"
2x6 @ 16"
Cont. @ flr. & bot.
6" Gravel fill
7"
Thp. dowels #4"
Diag. sheath.
2x6 Studs @ 16"
3x6 sill ℄ on 2" grout & 12" Bolts @ 32"
Thp. dowels "B"
2'-6"
Cont. @ flr. & bot.
6" Gravel fill
7"
Thp. dowels #4"
2x6 studs @ 16"
3x6 sill ℄ on 2" grout & 12" Bolts @ 48"
Fin. flr.
Thp. dowels #4"
6" Gravel fill
7"
Fin. flr.
Thp. dowels #4"
Omit slab @ P2/sc
Thp. "B" wall reinf.
Furr with 1x3 strips. @ 16" w. wall
8"
Thp. dowels "B"
Unless shown or noted same as M/sc
Diag. sheath.
3/8 x 12" Bolt @ 32"
6" Gravel fill
7"
Unless shown or noted same as H/sc
6" Gravel fill
7"
Thp. dowels #4"
Cont. @ flr. & bot.
6" Gravel fill
7"
Thp. dowels #4"
Diag. sheath.
2x6 Studs @ 16"
3x6 sill ℄ on 2" grout & 12" Bolts @ 32"
Thp. dowels "B"
2'-6"
6" Gravel fill
7"
Thp. dowels #4"
2x6 studs @ 16"
3x6 sill ℄ on 2" grout & 12" Bolts @ 48"
Fin. flr.
Thp. dowels #4"